

Basic build specs

- The default loop configurations -

Soft Line Setup

Depending on customer hardware, the default soft line cooling setup is the following

Item	Description	Quantity	Comment
CR-RD360RC-TK60-V2	360mm Radiator	1	Fittings: 2x for CPU 2x for GPU 2x for Radiator 2x for pump/res combo
B-FT3-TK-V2-BLK	16mm OD Soft Line Fittings	8	
B-WP-16	Soft Tubing – 16mm OD	6	
B-PMD3-COV+CT96	Pump/Res Combo	1	Works for a wider customer base, takes less space in chassis
B-DV-CEV2-BK	Drain Valve	1	To be used with pump/res combo
B-DTSO-S	Male to Male Extender	2	
B-TE3-X	T-splitter	1	
Mayhems	Coolant	1	Range: https://www.bykski.co.za/mayhems/
B-WDR	Coolant Injection Bottle	1	To fill loop
TOOLS REQUIRED			
Water Pipe Cutter	Tube Cutter	1	To cut tubing to length

Hard Line Setup

Depending on customer hardware, the default hard line cooling setup is the following

Item	Description	Quantity	Comment
CR-RD360RC-TK60-V2	360mm Radiator	1	Fittings: 2x for CPU 2x for GPU 2x for Radiator 2x for pump/res combo
B-HTJV2-L14-BK	14mm OD Hard Line Fittings	8	
PETG Tubing 14/10mm 1x 100cm	PETG Tubing – 14mm OD	6	
B-PMD3-COV+CT96	Pump/Res Combo	1	Works for a wider customer base, takes less space in chassis
B-DV-CEV2-BK	Drain Valve	1	To be used with pump/res combo
B-DTSO-S	Male to Male Extender	2	
B-TE3-X	T-splitter	1	
Mayhems	Coolant	1	Range: https://www.bykski.co.za/mayhems/
B-WDR	Coolant Injection Bottle	1	To fill loop
TOOLS REQUIRED			
B-BHPAT	Silicone Insert	1	Required for tube bending
B-HPCT	Chamfer Tool	1	To remove sharp edges from tubing
Rigid Tubing 45/90/180 Degree Bending Kit – 14mm OD	Bending Kit	1	To bend tubes
B-MTTP-SHR	Tube Cutter	1	To cut tubes to length